



**ALS AIRBORNE DUST AND WATER
ANALYSIS AND TESTING REPORT**

REPORT TO: Walker Quarry

REPORT ON: Walker Quarry
Dust and Water Results

REPORT NO: 24005240

PERIOD OF EXPOSURE: Dust - Typically 30 days +/- 2 days
Water - In conjunction with dust or on request

SAMPLED BY: ALS Staff

REPORTED BY: Natalie McMillan

REPORT DATE: 28-May-2015



Accreditation # 15784
Site # 11436

This document is issued in accordance with NATA's accreditation requirements.

Accredited for compliance with ISO/IEC 17025.

This document will not be reproduced except in full.

ACIRL Pty Ltd
ABN 41 000 513 888
Part of the ALS Laboratory Group
Unit 3, 16 Donald Street
LITHGOW NSW 2790
Phone +61 2 6350 7400 Fax +61 2 6352 3583 www.alsglobal.com
A Campbell Brothers Limited Company

ALS AIRBORNE DUST ANALYSIS AND TESTING REPORT

WALKER QUARRY

Month May-15
Date Replaced 24/04/2015
Date Collected 25/05/2015

DUST DEPOSITION RESULTS

(g/m²/month)

<u>GAUGE NO.</u>	<u>INSOLUBLE SOLIDS</u>	<u>*COMBUSTIBLE MATTER</u>	<u>**ASH</u>
62	1.0	0.5	0.5
64	1.1	0.8	0.3

No. of days exposed: 31

* Result Calculated

** Incombustible Matter

Analysed in accordance with AS3580.10.1

ALS AIRBORNE DUST ANALYSIS AND TESTING REPORT

WALKER QUARRY

Month May-15
Date Replaced 27/02/2015
Date Collected 27/03/2015

DUST GAUGE OBSERVATION

GAUGE	ANALYSIS OBSERVATIONS
62	Clear, bugs, organic matter, fine brown/grey dust & coarse brown dust
64	Clear, bugs, bird droppings, organics matter, fine brown/grey dust & coarse brown/black/green dust

ALS WATER ANALYSIS AND TESTING REPORT

WALKER QUARRY

	Units		
ALS Sydney Report No.			
Date of Sample		25/05/2015	
Site Reference		Dam 1	Dam 2
Sampled by		J. Takahira & N. Unsworth	
General Comments/ Observations		No Discharge	No Discharge
Time	24 Hr		
Temperature	°C		
pH	pH Units		
Electrical Conductivity	µS/cm		
Total Suspended Solids	mg/L		
Sulphur Sulphate (SO ₄)	mg/L		
Oil & Grease	mg/L		

ALS AIRBORNE DUST AND WATER ANALYSIS AND TESTING REPORT

METHODS OF ANALYSIS

Tests for results issued in this report have been carried out at the following NATA accredited laboratories in accordance with the methods as detailed below:-

ACIRL Report No: 24005240

DUST

TEST	METHOD	LITHGOW LABORATORY
Dust (Deposited matter gravimetric method)	3580.10.1	X

Electrical Conductivity m/cm

In accordance with "Methods for sampling and analysis of ambient air.
Method 10.1: Determination of particulate matter- Deposited matter-Gravimetric method"

WATER

TEST	METHOD	LABORATORY	
		LITHGOW	SYDNEY
Sulfate (mg/l)	ED014G		X
Electrical Conductivity uS/cm	CBM-E006	X	
pH value	CBM-E005	X	
Total Oil & Grease	EP020		X
Total Suspended Solids (mg/l)	CBM-E008	X	

In accordance with "Standard Methods for the Examination of Water & Wastewater" APHA, AWWA, and Water & Wastewater Examination Manual (V. Dean Adams)

Preservation procedures in accordance with AS/NZS 5667/1 when sampled by ACIRL staff unless otherwise stated.