



**ALS AIRBORNE DUST AND WATER  
ANALYSIS AND TESTING REPORT**

**REPORT TO:** Walker Quarry

**REPORT ON:** Walker Quarry  
Dust and Water Results

**REPORT NO:** 24005524

**PERIOD OF EXPOSURE:** Dust - Typically 30 days +/- 2 days  
Water - In conjunction with dust or on request

**SAMPLED BY:** ALS Staff

**REPORTED BY:** Natalie McMillan

**REPORT DATE:** 17-February-2016



Accreditation # 15784  
Site # 11436

Accredited for compliance with ISO/IEC 17025.

This document will not be reproduced except in full.

ACIRL Pty Ltd  
ABN 41 000 513 888  
Part of the ALS Laboratory Group  
Unit 3, 16 Donald Street  
LITHGOW NSW 2790  
Phone +61 2 6350 7400 Fax +61 2 6352 3583 [www.alsglobal.com](http://www.alsglobal.com)  
*A Campbell Brothers Limited Company*

# ALS AIRBORNE DUST ANALYSIS AND TESTING REPORT

---

## WALKER QUARRY

Month Feb-16  
Date Replaced 13/01/2016  
Date Collected 12/02/2016

---

### DUST DEPOSITION RESULTS

(g/m<sup>2</sup>/month)

<u>GAUGE NO.</u>	<u>INSOLUBLE SOLIDS</u>	<u>*COMBUSTIBLE MATTER</u>	<u>**ASH</u>
62	0.6	0.4	0.2
64	14.4	1.5	12.9

No. of days exposed: 30

\* Result Calculated

\*\* Incombustible Matter

Analysed in accordance with AS3580.10.1

---

# ALS AIRBORNE DUST ANALYSIS AND TESTING REPORT

---

## WALKER QUARRY

Month Feb-16  
Date Replaced 13/01/2016  
Date Collected 12/02/2016

---

### DUST GAUGE OBSERVATION

GAUGE	ANALYSIS OBSERVATIONS
62	Clear, insects, organic matter, fine brown dust & coarse brown/black/grey dust
64	Clear, insects, organic matter, fine brown dust & coarse brown/white dust

# ALS WATER ANALYSIS AND TESTING REPORT

---

## WALKER QUARRY

	Units		
ALS Sydney Report No.			
Date of Sample		12/01/2016	
Site Reference		Dam 1	Dam 2
Sampled by		N. McMillan & L. Stapleton	
General Comments/ Observations		Not Discharging	Not Discharging
Time	24 Hr		
Temperature	°C		
pH	pH Unit		
Electrical Conductivity	µS/cm		
Total Suspended Solids	mg/L		
Sulphur Sulphate (SO <sub>4</sub> )	mg/L		
Oil & Grease	mg/L		

---

# ALS AIRBORNE DUST AND WATER ANALYSIS AND TESTING REPORT

## METHODS OF ANALYSIS

Tests for results issued in this report have been carried out at the following NATA accredited laboratories in accordance with the methods as detailed below:-

ACIRL Report No: 24005524

### DUST

TEST	METHOD	LABORATORY
		ACIRL Lithgow NATA Accreditation #11436
Dust (Deposited matter gravimetric method)	3580.10.1	X

In accordance with "Methods for sampling and analysis of ambient air.  
Method 10.1: Determination of particulate matter- Deposited matter-Gravimetric method"

### WATER

TEST	METHOD	LABORATORY	
		ACIRL Lithgow NATA Accreditation #11436	ALS Sydney NATA Accreditation # 825
Sulfate (mg/l)	ED014G		X
Electrical Conductivity uS/cm	CBM-E006	X	
pH value	CBM-E005	X	
Total Oil & Grease	EP020		X
Total Suspended Solids (mg/l)	CBM-E008	X	

In accordance with "Standard Methods for the Examination of Water & Wastewater" APHA, AWWA, and Water & Wastewater Examination Manual (V. Dean Adams)

Preservation procedures in accordance with AS/NZS 5667/1 when sampled by ACIRL staff unless otherwise stated.