ACIRL Pty Ltd ABN 41 000 513 888 Unit 3, 16 Donald street Lithgow, NSW, 2790, Australia Tel: +61 2 6507400



## Analysis and Testing Report -Walker Quarries Monthly Dust Monitoring, May 2024

Report To:	Wayne Chapman		
Address:	Lot 6 Great Western Highway, Wallerwang NSW 2845		
Report On:	Walker Quarries Monthly Dust Monitoring, May 2024		
Report No:	2400-7303-05-01		
Report Status:	Final Report		
Date Sampled:	10/05/2024		
Unique ID of Sample(s):	As per Result tab		
Sampled By:	B. Collins & L. Pyne		
Testing & Analysis Requirements:	Client Instructions		
Report Prepared By:	Adriana Hernandez		
Date Reported:	24/05/2024		
Reported By :	Adriana Hernandez		

Environmental Project/Quality Officer Lithgow NSW

These reported results only relate to the items sampled and tested.

Sampling performed by: ACIRL Lithgow NSW NATA Accreditation No. 15784, Site No. 11436 in accordance with AS Standards listed on Page 3.



right solutions. right partner. ACIRL Lithgow NSW ABN 66 003 451 876 Page 1 of 3





## Walker Quarries Monthly Dust Monitoring

	REPORT NO: ALS REPORT NO		2400-7303-05-01				
			DG1	DG2	DG3	DG4	
		Exposure	8/04/2024	8/04/2024	8/04/2024	8/04/2024	
	Collection Date Days Exposed		10/05/2024	10/05/2024	10/05/2024	10/05/2024	
			32	32	32	32	
		Comments					
	LOR	Unit	2400-7307-05-01	2400-7307-05-02	2400-7307-05-03	2400-7307-05-04	
Ash Content							
Ash Content	0.1	g/m <sup>2</sup> .month	0.3	0.5	0.1	0.2	
Ash Content (mg)	2	mg	5	9	<2	4	
Combustible Matter							
Combustible Matter	0.1	g/m <sup>2</sup> .month	0.1	0.2	0.1	0.1	
Combustible Matter (mg)	2	mg	3	5	3	2	
Total Soluble Matter							
Total Soluble Matter	0.1	g/m <sup>2</sup> .month	<0.1	0.6	2.6	0.3	
Total Soluble Matter (mg)	2	mg	<2	11	50	6	
Total Insoluble Matter							
Total Insoluble Matter	0.1	g/m <sup>2</sup> .month	0.4	0.7	0.2	0.3	
Total Insoluble Matter (mg)	2	mg	8	14	4	6	
Total Solids							
Total Solids	0.1	g/m <sup>2</sup> .month	0.4	1.3	2.8	0.6	
Total Solids (mg)	2	mg	8	25	54	12	



## Analysis and Testing Report-Walker Quarries Monthly Dust Monitoring

## METHODS OF DUST ANALYSIS

TEST	METHOD	LABORATORY		
		ACIRL Lithgow NATA Accreditation #11436	ALS Newcastle NATA Accreditation #825	
Dust (Deposited matter gravimetric method)	AS/ NZS 3580.10.1	Х	х	

Samples were analysed in accordance with the following Australian Standards or equivalent:

Australian StandardsDescriptionAS/NZS 3580.10.1Determination of particulate matter- Deposited matter-Gravimetric method

 REPORT NO:
 2400-7303-05-01

 ALS REPORT NO
 EN2404296