



Analysis and Testing Report - Walker Quarries Monthly Dust Monitoring, November 2024

Report To: Wayne Chapman

Address: Lot 6 Great Western Highway,
Wallerwang NSW 2845

Report On: Walker Quarries
Monthly Dust Monitoring, November
2024

Report No: 2400-7420-11

Report Status: Final Report

Date Sampled: 8/11/2024


Unique ID of Sample(s): As per Result tab

Sampled By: L. Pyne & M. Andrews

Testing & Analysis Requirements: Client Instructions

Report Prepared By: Adriana Hernandez

Date Reported: 25/11/2024

Reported By : 
Adriana Hernandez
Environmental Project/Quality Officer -
Lithgow NSW

These reported results only relate to the items sampled and tested.

Sampling performed by: ACIRL Lithgow NSW NATA Accreditation No. 15784, Site No. 11436 in accordance with AS Standards listed on Page 4.





Analysis and Testing Report- Walker Quarries Monthly Dust Monitoring

REPORT NO: 2400-7420-11
ALS REPORT NO: EN2414643

			DG1	DG2	DG3	DG4
Exposure			8/10/2024	8/10/2024	8/10/2024	8/10/2024
Collection Date			8/11/2024	8/11/2024	8/11/2024	8/11/2024
Days Exposed			31	31	31	31
Comments						
	LOR	Unit	2400-7307-11-01	2400-7307-11-02	2400-7307-11-03	2400-7307-11-04
Ash Content						
Ash Content	0.1	g/m ² .month	0.9	0.7	1	0.7
Ash Content (mg)	2	mg	17	12	18	12
Combustible Matter						
Combustible Matter	0.1	g/m ² .month	0.2	0.2	0.3	0.2
Combustible Matter (mg)	2	mg	3	5	6	5
Total Soluble Matter						
Total Soluble Matter	0.1	g/m ² .month	<0.1	0.1	0.3	<0.1
Total Soluble Matter (mg)	2	mg	<2	2	5	<2
Total Insoluble Matter						
Total Insoluble Matter	0.1	g/m ² .month	0.7	0.7	----	0.3
Total Insoluble Matter (mg)	2	mg	12	12	----	6
Total Solids						
Total Solids	0.1	g/m ² .month	1.1	0.9	1.3	0.9
Total Solids (mg)	2	mg	20	17	24	17



Analysis and Testing Report- Walker Quarries Monthly Dust Monitoring

METHODS OF DUST ANALYSIS

TEST	METHOD	LABORATORY	
		ACIRL Lithgow NATA Accreditation #11436	ALS Newcastle NATA Accreditation #825
Dust (Deposited matter gravimetric method)	AS/ NZS 3580.10.1	X	X

Samples were analysed in accordance with the following Australian Standards or equivalent:

Australian Standards	Description
AS/NZS 3580.10.1	Determination of particulate matter- Deposited matter-Gravimetric method

REPORT NO:	2400-7420-11
ALS REPORT NO	EN2414643