ACIRL Pty Ltd ABN 41 000 513 888 Unit 3, 16 Donald street Lithgow, NSW, 2790, Australia Tel: +61 2 6507400



Analysis and Testing Report Walker Quarries Monthly Surface Monitoring, July 2024

Report To:	Wayne Chapman		
Address:	Lot 6 Great Western Highway, Wallerwang NSW 2845		
Report On:	Walker Quarries Monthly Surface Monitoring, July 2024		
Report No:	2400-7420-07		
Report Status:	Final Report		
Date Sampled:	8/07/2024		
Unique ID of Sample(s):	As per Result tab		
Sampled By:	L. Pyne & C. Buck		
Testing & Analysis Requirements:	Client Instructions		
Report Prepared By:	Adriana Hernandez		
Date Reported:	23/07/2024		
Reported By :	Adriana Hernandez Environmental Project/Quality Officer - Lithgow NSW		

These reported results only relate to the items sampled and tested.

Sampling performed by: ACIRL Lithgow NSW NATA Accreditation No. 15784, Site No. 11436 in accordance with AS Standards listed on Page 3.



right solutions. right partner.

ACIRL Lithgow NSW ABN 66 003 451 876 Page 1 of 3



Analysis and Testing Report-Walker Quarries Monthly Dust Monitoring

	Units						
Date of Sample		8/07/2024					
Report On:		2400-7420-07					
ALS Sydney Report No.		ES2408321					
Site Reference		SD3 Cox river D/S	SD4 U/S	SD1	SB2		
Sampled by		L. Pyne & C. Buck					
General Comments/ Observations		Clear	Clear	Non discharge	Non discharge		
рН	pH Unit	7.7	7.8				
Electrical Conductivity	μS/cm	415	500				
Turbidity		1.9	1.5				
Suspended Solids SS		<5	<5				
Sulfate (Turbidimetric) as SO4							
Sulfate as SO4 - Turbidimetric	mg/L	110	22		_		



Analysis and Testing Report-Walker Quarries Monthly Dust Monitoring

METHODS OF ANALYSIS

Tests for results issued in this report have been carried out at the following NATA accredited laboratories in accordance with the methods as detailed below:-

TEST	METHOD	ACIRL Lithgow NATA Accreditation #11436	Measure of Uncertainty
Electrical Conductivity uS/cm	CBM-E006	APHA 2510 B	2.0%
pH value	CBM-E005	APHA 4500 H	0.10 pH Units

The remaining analysis performed at ALS Environmental, 277-289 Woodpark Rd, Smithfield, NSW 2164.

Low yielding bores have been purged to dryness, otherwise bores purged to constant Electrical Conductivity

Report No: 2400-7420-07 ALS REPORT NO: ES2408321

Samples were analysed in accordance with the following Australian Standards or equivalent:

Australian Standards Description

AS/NZS 5667.1 Part 1: Guidance on the design of sampling programs, sampling

techniques and the preservation and handling of samples

ISO 5667-3 Part 3: Preservation and handling of water samples AS/NZS 5667.11 Part 11: Guidance on sampling of ground waters